

FEATURES: Which of the following features are required?

<p>Detects pouch thickness and self-adjusts to the optimal laminating setting</p>	<p>Ready to laminate in as little as 30-60 seconds every time</p>	<p>Clear Path mechanism, and pouch reverse / release features prevent jams when used with Fellowes pouches</p>	<p>Powers down after periods of inactivity, reducing energy consumption</p>
<p>Reduces the surface temperature of the laminator, ensuring it is safe to touch</p>	<p>Allows immediate, manual switching between different pouch thicknesses</p>	<p>Detects potential jams, stops laminating and allows user to reverse and realign the pouch</p>	<p>Indicator light tells the user when the laminator is ready to accept the next pouch</p>



Fellowes laminators cover pouch thicknesses between 80 and 250 microns. The thicker the pouches accepted, the more versatile the machine and the more applications for which it can be used.

The table shows the pouch thicknesses which are accepted by each laminator:

	up to 80 micron	up to 100 micron	up to 125 micron	up to 175 micron	up to 250 micron
Proteus A3	✓	✓	✓	✓	✓
Venus 2 A3	✓	✓	✓	✓	✓
Jupiter 2 A3	✓	✓	✓	✓	✓
Neptune 3 A3	✓	✓	✓	✓	
Saturn 3i A3 & A4	✓	✓	✓		
Pixel A3 & A4	✓		✓		
Spectra A3 & A4	✓	✓	✓		
Ion A4	✓	✓	✓		

Large Office Laminators



up to 250 micron



Proteus A3 Laminator

HEAVY USE.

- 6 roller technology heating 4 large diameter rollers for high quality results
- Fully variable controls + 6 pre-set controls for popular applications
- Laminates up to 95 cm/min (approx. 180x A4 pouches per hour)
- Ability to laminate hot and cold, with or without carriers, mounting board and foils

Model	Entry Width	No. of Rollers	Heat-up Time	Temp Settings	Cold Setting	Max Speed	Misfeed Mechanism	Starter Kit	Warranty
Proteus A3	325mm	6	3 mins	Variable (6 pre-sets)	Yes	95 cm/min	Manual Reverse	No	1 year

		UNIT			RETAIL PACK			OUTER PACK			
Code	Model	H x W x D (cm)	Weight (kg)	Qty	H x W x D (cm)	Weight (kg)	Barcode (UPC)	Qty	H x W x D (cm)	Weight (kg)	Barcode (SCS)
5709001	Proteus A3	12.5 x 55.4 x 31.5	14.6	1	22.5 x 66 x 39.8	17.5	043859618514	1	22.5 x 66.0 x 39.8	17.5	50043859618519



Office Laminators



Laminates an A4 pouch in as little as
17 Seconds

up to **250** micron

Venus 2 A3 Laminator

HEAVY USE.

- Laminates an 80 micron A4 pouch in approx. 17 seconds - that's around 35 pouches every 10 minutes.
- Robust 6-roller laminator for superior lamination quality, can laminate all pouches up to 250 microns (2x250)
- Advanced Pouch Tracking System detects potential paper jams and automatically reverses, allowing the user to realign the pouch
- Feed IQ indicates when the next pouch can be inserted, preventing jams and maximising productivity



up to **250** micron

Jupiter 2 A3 Laminator

HEAVY USE.

- Laminates an 80 micron A4 pouch in approx. 19 seconds - that's around 30 pouches every 10 minutes.
- Robust 6-roller laminator for superior lamination quality, can laminate all pouches up to 250 microns (2x250)
- Advanced Pouch Tracking System detects potential paper jams and automatically reverses, allowing the user to realign the pouch



up to **175** micron

Neptune 3 A3 Laminator

HEAVY USE.

- Laminates an 80 micron A4 pouch in approx. 23 seconds - that's around 25 pouches every 10 minutes.
- 4-roller laminator for high quality results, can laminate all pouches up to 175 microns (2x175)
- Advanced Pouch Tracking System detects potential paper jams and automatically reverses, allowing the user to realign the pouch



Model	Entry Width	No. of Rollers	Heat-up Time	Temp Settings	Cold Setting	Max Speed	Misfeed Mechanism	Starter Kit	Warranty
Venus 2 A3	320mm	6	30-60 secs	AutoSense	Yes	135 cm/min	Auto Reverse	10 doc	2 years
Jupiter 2 A3	320mm	6	1 min	AutoSense	Yes	120 cm/min	Auto Reverse	10 doc	2 years
Neptune 3 A3	320mm	4	1 min	AutoSense	Yes	80 cm/min	Manual Reverse	10 doc	2 years

Code	Model	UNIT			RETAIL PACK			OUTER PACK			
		H x W x D (cm)	Weight (kg)	Qty	H x W x D (cm)	Weight (kg)	Barcode (UPC)	Qty	H x W x D (cm)	Weight (kg)	Barcode (SCS)
5734201	Venus 2 A3	12.1 x 54.6 x 17.2	6.7	1	17.5 x 59.2 x 28.0	8	043859641239	1	17.5 x 59.2 x 28.0	8.0	50043859641234
5733501	Jupiter 2 A3	12.1 x 54.6 x 17.2	6.7	1	16.5 x 58.0 x 27.0	6.8	043859641161	1	17.5 x 59.0 x 29.0	7.7	50043859641166
5721501	Neptune 3 A3	12.2 x 50.8 x 14.0	4.6	1	18.0 x 56.8 x 24.4	5.6	043859667772	1	20.0 x 58.2 x 25.8	6.0	50043859667777



InstaHeat **JAM FREE** **AUTO SHUT OFF**

Saturn 3i A3 & A4 Laminators

MEDIUM USE.

- 30cm/min laminating speed for 80-125 micron pouches
- Laminator feed sensor indicates when a document has been misfed and stops the laminating process, allowing the pouch to be manually released and realigned
- Auto shut off after 30 minutes of inactivity, reducing energy consumption



JAM FREE **HeatGuard** **SAFE TO TOUCH** **AUTO SHUT OFF**

Pixel A3 & A4 Laminators

MODERATE USE.

- Auto shut off after 30 minutes of inactivity, reducing energy consumption
- Individual temperature settings for 80 and 125 micron pouches for a better quality finish
- Release trigger for retrieving and realigning misfed documents



JAM FREE **AUTO SHUT OFF**

Spectra A3 & A4 Laminators

MODERATE USE.

- User-friendly laminator for moderate use in home & home office environments
- Laminates up to A4 or A3 size documents in 80 - 125 micron pouches
- Release lever disengages pouch for document realignment or removal



JAM FREE **AUTO SHUT OFF**

Ion A4 Laminator

LIGHT USE.

- User-friendly laminator for home environments
- Laminates documents and photos in 80 - 125 micron pouches
- Release lever disengages pouch for document realignment or removal

Model	Entry Width	No. of Rollers	Heat-up Time	Temp Settings	Cold Setting	Max Speed	Misfeed Mechanism	Starter Kit	Warranty
Saturn 3i A3	320mm	2	1 min	3 (+ cold)	Yes	30 cm/min	Release	10 doc	2 years
Saturn 3i A4	235mm	2	1 min	3 (+ cold)	Yes	30 cm/min	Release	10 doc	2 years
Pixel A3	318mm	2	3 mins	2 (+ cold)	Yes	30 cm/min	Release	10 doc	2 years
Pixel A4	240mm	2	3 mins	2 (+ cold)	Yes	30 cm/min	Release	10 doc	2 years
Spectra A3	320mm	2	4 mins	1 (fixed)	No	30 cm/min	Release	10 doc	1 year
Spectra A4	230mm	2	4 mins	1 (fixed)	No	30 cm/min	Release	10 doc	1 year
Ion A4	240mm	2	4 mins	1 (fixed)	No	30 cm/min	Release	10 doc	1 year

Code	Model	UNIT			RETAIL PACK			OUTER PACK			
		H x W x D (cm)	Weight (kg)	Qty	H x W x D (cm)	Weight (kg)	Barcode (UPC)	Qty	H x W x D (cm)	Weight (kg)	Barcode (SCS)
5736001	Saturn 3i A3	10.5 x 53.2 x 14.6	2.75	1	17.0 x 58.2 x 17.5	3	043859679980	2	18.8 x 36.7 x 59.5	6.35	50043859679985
5724801	Saturn 3i A4	10.5 x 43.6 x 13.9	2.25	1	17.0 x 48.6 x 17.5	2.5	043859679904	2	18.8 x 36.7 x 49.9	5.5	50043859679909
5601601	Pixel A3	75 x 43.5 x 11	1.7	1	48.7 x 16.0 x 12.3	2.4	043859753239	2	50.2 x 17.3 x 26.5	5	50043859753234
5601401	Pixel A4	75 x 34.2 x 11	1.4	1	39.3 x 16.0 x 12.3	2	043859753215	2	40.8 x 17.3 x 26.5	4.2	50043859753210
5738301	Spectra A3	7.8 x 47.0 x 16.2	1.5	1	10.0 x 49.5 x 19.5	2.4	043859680306	4	51.0 x 22.0 x 41.5	8.7	50043859680301
5737801	Spectra A4	7.8 x 37.0 x 16.2	1.3	1	10.0 x 39.5 x 19.5	1.9	043859680214	4	41.0 x 22.0 x 41.5	7.8	50043859680219
4560001	Ion A4	6.2 x 35.9 x 17.0	1	1	14.3 x 39.5 x 9.4	1.5	043859752829	4	17.1 x 39.0 x 41.2	6.7	50043859752824

Laminating Supplies

ImageLast™ laminating pouches

ImageLast™



The unique ImageLast™ direction and quality mark ensures pouches are inserted correctly and disappears after lamination. You can be sure that your pouch has been perfectly sealed when all ImageLast™ marks have disappeared.



Size	Qty/Pack	Code	Pack Dimensions (HxWxD - cm) & Weight	Retail Barcode	Outer	Outer Dimensions (HxWxD - cm) & Weight	Outer Barcode
Enhance80 Glossy Pouches 80 micron							
A3	100	5306207	43.2 x 30.6 x 22.0 / 2.26kg	077511530623	5	11.6 x 33.4 x 45.6 / 12kg	10077511530620
A3	25	53964	43.0 x 30.4 x 4.0 / 0.52kg	077511539640	5	42.0 x 33.2 x 45.4 / 3.28kg	10077511539647
A4	100	5306114	30.6 x 22.0 x 18.0 / 1.16kg	077511530616	5	11.2 x 24.4 x 32.6 / 6.08kg	20077511530610
A4	25	5396205	34.8 x 23.2 x 6.0 / 0.32kg	077511539626	10	68.0 x 25.2 x 34.0 / 3.38kg	10077511539623
A5	100	5306002	22.4 x 16.0 x 18.0 / 0.58kg	077511530609	5	10.6 x 18.8 x 24.4 / 3.24kg	10077511530606
Capture125 Glossy Pouches 125 micron							
A3	100	5307506	43.0 x 30.6 x 30.0 / 3.84kg	077511530753	5	15.8 x 33.0 x 45.2 / 19.94kg	10077511530750
A4	100	5307407	30.8 x 22.0 x 30.0 / 1.94kg	077511530746	10	29.6 x 24.2 x 328 / 20kg	30077511530747
A4	25	5396301	35.0 x 23.5 x 9.0 / 0.5kg	077511539633	10	90.0 x 33.0 x 25.2 / 5.22kg	10077511539630


Standard laminating pouches

Size	Qty/Pack	Code	Pack Dimensions (HxWxD - cm) & Weight	Retail Barcode	Outer	Outer Dimensions (HxWxD - cm) & Weight	Outer Barcode
Capture125 Glossy Pouches 125 micron							
A2	50	5309302	61.0 x 43.4 x 16.0 / 3.92kg	077511530937	3	60.0 x 62.3 x 46.0 / 12.32kg	10077511530934
Protect175 Glossy Pouches 175 micron							
A4	100	5308703	30.8 x 22.2 x 40.0 / 2.7kg	077511530876	5	21.6 x 23.8 x 32.8 / 14.08kg	10077511530873
Preserve250 Glossy Pouches 250 micron							
A4	100	5401802	30.6 x 22.2 x 54.0 / 3.76kg	077511540189	4	23.2 x 24.2 x 33.0 / 15.48kg	10077511540186
A4 Value Packs Glossy Pouches							
A4 / 80 mic	250	5312903	31.4 x 24.2 x 52.0 / 2.88kg	043859521838	4	21.4 x 26.8 x 33.6 / 12.36kg	20043859521832
A4 / 125 mic	250	5314903	31.8 x 24.6 x 74 / 5kg	043859521852	4	30.8 x 26.0 x 33.8 / 20.9kg	20043859521856

Speciality laminating pouches

Size	Thickness	Qty/Pack	Code	Pack Dimensions (HxWxD - cm) & Weight	Retail Barcode	Outer	Outer Dimensions (HxWxD - cm) & Weight	Outer Barcode
Matt Pouches								
A3	80 mic	100	5452003	42.6 x 30.4 x 2.0 / 2.3kg	043859522323	5	11.0 x 33.0 x 44.8 / 11.88kg	20043859522327
A3	125 mic	100	5328601	43.0 x 31.0 x 3.0 / 3.8kg	043859641499	5	15.6 x 44.6 x 33.0 / 19.3kg	50043859641494
A4	80 mic	100	5452103	30.4 x 21.8 x 2.2 / 1.2kg	438595223300	10	20.0 x 24.0 x 33.2 / 12.28kg	20043859522334
A4	125 mic	100	5328501	31.5 x 22.6 x 4.1 / 2kg	043859641482	10	30.0 x 24.9 x 33.5 / 20.6kg	10043859641489
Starter kit								
A4	80 Mic	10	5312801	31.6 x 23.2 x 1.85 / 0.14kg	043859715114	200	48.5 x 33.5 x 20.0 / 29kg	50043859715119
Smaller Sized Glossy Pouches								
A6	125 mic	100	5307201	16.0 x 11.8 x 2.8 / 0.46kg	077511530722	10	15.8 x 18.4 x 25.4 / 5.5kg	10077511530729
75x105mm	125 mic	100	5306901	11.2 x 80.0 x 3.0 / 0.18kg	077511530692	10	16.4 x 12.8 x 17.4 / 2.56kg	10077511530699
65x95mm	125 mic	100	5306702	10.2 x 28.0 x 7.0 / 0.12kg	077511530678	10	16.2 x 12.0 x 16.2 / 2kg	10077511530675
54x86mm	125 mic	100	5306302	90.0 x 60.0 x 3.0 / 0.14kg	077511530630	10	16.2 x 11.4 x 14.0 / 1.58kg	10077511530637

Identification Badges and Laminating Accessories



Description	Size	Qty/Pack	Code	Pack Dimensions (HxWxD - cm) & Weight	Retail Barcode	Outer	Outer Dimensions (HxWxD - cm) & Weight	Outer Barcode
European Clip with straps	5.6 x 9.2 cm	100	5303001	28.0 x 15.4 x 1.5 / 0.58kg	077511530302	5	11.5 x 20.0 x 20.2 / 2.2kg	10077511530309
Pin Badge	4.0 x 6.0 cm	100	53040	23.0 x 12.4 x 5.6 / 0.44kg	077511530401	10	29.4 x 24.4 x 25.8 / 4.66kg	50077511555911
Pin Clip Badge Clear PVC	5.6 x 9.2 cm	50	53041	21.6 x 14.2 x 7.1 / 0.46kg	077511530418	10	35.1 x 23.1 x 29.7 / 4.96kg	50077511555904
Security Badge with Metal Clip	9.0 x 6.0 cm	50	53043	16.8 x 11.6 x 6.8 / 0.7kg	077511530432	5	34.4 x 12.4 x 17.8 / 3.42kg	50077511555881
Protect Card Holder + Clip	9.0 x 6.0 cm	50	53044	78.0 x 18.2 x 19.4 / 1.18kg	077511530449	5	40.2 x 18.8 x 20.2 / 6.04kg	50077511555942
Name Support	4.5 x 12.0 cm	50	53045	21.8 x 13.8 x 6.8 / 0.6kg	077511530456	40	35.0 x 45.4 x 56.6 / 25.36kg	50077511530451
Name Support	6.0 x 25.0 cm	25	53046	26.2 x 14.8 x 6.0 / 0.76kg	077511530463	30	30.4 x 45.8 x 54.8 / 23.78kg	50077511530468

Laminator Cleaning Sheets

Regularly passing a cleaning sheet through the laminator helps to remove any glue from the rollers and ensure a high-quality, jam-free performance

Description	Size	Qty/Pack	Code	Pack Dimensions (HxWxD - cm) & Weight	Retail Barcode	Outer	Outer Dimensions (HxWxD - cm) & Weight	Outer Barcode
Laminator cleaning & carrier sheets	A4	10	5320604	35.6 x 23.2 x 6.0 / 0.16kg	043859522163	20	78.0 x 24.6 x 33.4 / 3.42kg	10043859522160

Identification Badges


Description	Size	Qty/Pack	Code
ID Clips	5.6 x 0.2cm	100	52055/BP
ID Clips	5.6 x 0.2cm	25	52055/RP



Ideas Centre

Explore 100s of free ready-made resources and inspirational ideas for your home, workplace and school.

www.fellowes.com/ideascentre



Download
Print
Laminate

GET READY TO MAKE A GREAT IMPRESSION

First impressions are important. When you've worked hard on a project and invested time and effort into your presentation, you need to give it the professional finish it deserves to make the greatest impact.

Binding is the perfect way to present your documents.



WHAT TO BIND?

Use binding for a wide variety of document finishing tasks at work and at home. If it's important enough to present or securely fasten, add the finishing touch for a professional image.

TYPES OF BINDING SYSTEM

Different binding systems are suitable for different applications. Fellowes offer 3 types of system:



COMB BINDING

The most popular and economical binding system. It's practical, easy to use and very flexible.



- Cost effective and quick
- Documents are easy to use; they can be opened out flat so they are easy to read and photocopy. They are ideal for presentations
- Can add and remove pages easily



WIRE BINDING

Stylish, durable wire binders with unique, user-friendly features. Gives your document a stylish, top-quality finish that is permanent and secure.



- Secure documents, cannot be reopened
- Creates the same durable look used by professional printers
- Documents can be opened out flat so they are easy to read and photocopy and are ideal for presentations



THERMAL BINDING

A quick, easy way to give any document a perfect "book" finish



- Neat and flat, making them easy to store, carry around and post
- Quick and easy; ideal binding method when time is limited
- Create a professional finish without punching holes into your document


Comb Binding



CHOOSING THE RIGHT COMB BINDER


If you've decided that a comb binder is the best option, you should then look for features and specifications that will best match your needs. Fellowes comb binders are segmented according to how often they will be used and the size of the documents they can bind - measured on binding capacity, punch capacity and the maximum size of comb that can be accepted.

Binding Capacity



The higher the binding capacity, the larger the document you can bind.

Punch Capacity



The higher the punching capability of the binder, the quicker the process. (Comb & Wire only).

Max. Element Size



Maximum comb diameter suitable for use with the binder. (Comb & Wire only).

USAGE: Where and how often will the binder be used?

HEAVY USE
OFFICE ENVIRONMENTS

MEDIUM USE
SMALL OFFICES

LIGHT / MODERATE
PERSONAL & HOME OFFICE

FEATURES: Making the binding process simple



Maximum output punch and bind capacities increase productivity for faster binding



Vertical loading maximises document alignment



Punch and bind in one flow – punch and place documents directly on comb



Enhanced accuracy edge guide ensures pinpoint punch alignment



Document and comb measure / comb storage tray

TYPE: Manual or electric document punching?



ELECTRIC PUNCHING

Provides ultimate ease of use. Electric punch button makes it easier to punch through large documents and also work through large quantities of documents quickly.



MANUAL PUNCHING

Strong metal punch handle on Fellowes machines makes it easy to punch through documents by hand.



Orion-E Electric & Orion Manual Comb Binders

HEAVY USE.

- Designed to punch and bind documents for heavy duty users with demand for maximum punch and bind capacity
- Pedal operated punching for up to 30 sheets in a single cycle (Orion-E Electric)
- 21 individual and selectable punching pins
- Fully adjustable edge guide (side margin)
- 5 position back margin & document measure



Satellite SYSTEM

SATELLITE removable binding platform allows multiple users to punch and bind simultaneously, saving time in the work place.



Galaxy-E Electric & Galaxy Manual Comb Binders

HEAVY USE.

- For high volume binding documents of up to 500 pages
- 28 sheet punch capacity, 500 sheet binding capacity with a maximum comb size of 50mm
- Front access full size storage tray with patented comb & document measure for quick selection of the correct size supplies

Model	Binding System	Manual / Electric	Punch Capacity (80gsm)	Binding Capacity	Max Comb Size	Comb & Doc Size Guide	Chip Tray	Starter Kit	Warranty
Orion-E	Comb	Electric	30 sheets	500 sheets	50mm	Yes	Front	No	1 year
Orion	Comb	Manual	30 sheets	500 sheets	50mm	Yes	Front	No	1 year
Galaxy-E	Comb	Electric	28 sheets	500 sheets	50mm	Yes	Both Sides	20 doc	2 years
Galaxy	Comb	Manual	28 sheets	500 sheets	50mm	Yes	Both Sides	20 doc	2 years

Code	Model	UNIT			RETAIL PACK				OUTER PACK		
		H x W x D (cm)	Weight (kg)	Qty	H x W x D (cm)	Weight (kg)	Barcode (UPC)	Qty	H x W x D (cm)	Weight (kg)	Barcode (SCS)
5642701	Orion-E	21.4 x 40.2 x 40.4	19.34	1	32.8 x 47.8 x 47.4	21.5	043859620081	1	39.8 x 53.6 x 52.8	22.98	50043859620086
5642601	Orion	21.4 x 40.2 x 40.4	13.24	1	32.8 x 47.8 x 47.4	14.7	043859620074	1	32.8 x 48.0 x 47.6	14.7	50043859620079
5707001	Galaxy-E	15.2 x 49.0 x 44.6	13.06	1	51.0 x 59.6 x 21.6	15.36	043859522262	1	51.0 x 21.6 x 59.6	15.36	50043859522267
5622001	Galaxy	15.2 x 52.6 x 44.6	10.28	1	50.8 x 59.6 x 21.6	12.58	043859522255	1	50.8 x 21.8 x 59.6	12.58	50043859522250