

Bronze Series 7G



Where high-fidelity begins.

Bronze Series 7G a captivating class-leader. It is affordable as it is refined. Packed full of the latest acoustic technologies and created under the group Transparent Design Philosophy. All-new, Bronze is the starting point to high-fidelity.



Bronze 300 7G

Flagship Two and a Half-way Floor Standing Speaker

The Bronze 300 7G is the flagship model within the Bronze Series. With its new sleek, contemporary appearance, it is a powerful performer, capable of creating a large, detailed soundstage, with capable, impactful full-bodied bass you can feel. Featuring the latest C-CAM gold dome tweeter, with UD waveguide and powerful 6-inch C-CAM bass-mid and bass drivers with powerful motor systems. The Bronze 300 7G packs a sonic punch, providing high-fidelity resolution with dexterity, dynamics and detail with ease.

Features at a glance:

- Two and a half-way design
- 1 x 1-inch C-CAM Gold dome Tweeter with UD waveguide
- 1 x 6-inch C-CAM Bass-mid driver
- 1 x 6-inch C-CAM Bass driver
- New crossover design
- Ported cabinet design featuring HiVe II port technology
- Robust outriggers and plinth/spike assembly
- Finishes available: walnut, black & white
- Warranty: 5-years



Bronze 50 7G

Mid-sized Two-way bookshelf / floor stand Speaker

The Bronze 50 7G is a compact, high-fidelity bookshelf speaker. Its discreet proportions, plus the ability to partner it with the ST-2 floor stand, allow it to be highly flexible in terms of placement around the listening environment. Featuring the latest C-CAM driver technology across its gold dome 1-inch tweeter featuring the UD waveguide and 6-inch bass-mid driver, the Bronze 50 7G delivers a powerful and detailed performance for its diminutive stature.

Features at a glance:

- Two-way design
- 1 x 1-inch C-CAM Gold dome Tweeter with UD waveguide
- 1 x 6-inch C-CAM Bass-mid driver
- New crossover design
- Ported cabinet design featuring HiVe II port technology
- Robust outriggers and plinth/spike assembly
- Finishes available: walnut, black & white
- Warranty: 5-years



Bronze On-Wall 7G

Slim, Two-way On-Wall Speaker

The Bronze On-Wall 6G is a new, highly flexible addition to the Bronze Series. Not only does the super-slim profile allow it to be a perfect rear and side channel AV speaker, but it also means that it is perfect for wall-mountable front LCR (left-centre-right) applications – making it an ideal home cinema speaker. Featuring the latest C-CAM 1-inch gold dome tweeter featuring the UD waveguide, and highly dynamic 6.5-inch bass-mid driver; benefiting from the latest C-CAM cone technology and powerful motor system. The Bronze On-Wall 7G is a highly versatile, décor friendly alternative, delivery, detailed high-fidelity surround sound in abundance.

Features at a glance:

- Two-way design
- 1 x 1-inch C-CAM Gold dome Tweeter with UD waveguide
- 1 x 6-inch C-CAM Bass-mid driver
- New crossover design
- Ported cabinet design featuring HiVe II port technology
- Finishes available: walnut, black & white
- Warranty: 5-years



Bronze Centre 7G

Compact Two-way Centre Speaker

The Bronze Centre 7G is the ideal compact centre-channel speaker. Its two-way design, powerful twin 6-inch bass drivers and the latest C-CAM gold dome tweeter featuring the UD waveguide, enable it to deliver vocal passages and detailed dialogue clearly and precisely. When the action heats up, it's tempo and dynamic range, will ensure pin-sharp timing and a large soundstage that will provide a truly immersive experience. When partnered with other Bronze 7G models, the Bronze Centre 7G offers a truly enjoyable cinematic experience at home.

Features at a glance:

- Two-way design
- 1 x 1-inch C-CAM Gold dome Tweeter with UD waveguide
- 2 x 6-inch C-CAM Bass-mid driver
- New crossover design
- Sealed cabinet
- Finishes available: walnut, black & white
- Warranty: 5-years



Bronze AMS 7G - Dolby Atmos Enabled Speaker

Compact Two-way Dolby-Atmos Enabled Speaker

The Bronze AMS 7G Dolby Atmos speaker featuring the latest 1-inch C-CAM tweeter and 4-inch mid-bass driver is the perfect height-channel speaker for any Bronze Series home cinema system. It allows sound to be 'fired' above the listener, depicting objects moving overhead for a fully realistic three-dimensional experience.

It's thoughtful dimensions and footprint, allow it to suite and sit exactly on top of the Bronze 50 and 300 models, for perfect visual aesthetics.

Features at a glance:

- Two-way design
- 1 x 1-inch C-CAM Gold dome Tweeter with UD waveguide
- 1 x 4-inch C-CAM Bass-mid driver
- New crossover design
- Sealed cabinet
- Finishes available: walnut, black & white
- Warranty: 5-years



Technical specifications



Model	Bronze 50 7G	Bronze 300 7G	Bronze Centre 7G
System Format	2-Way	2.5-Way	2-Way
Frequency Response, In-Room (-6dB)	41 Hz - 30 kHz	34 Hz - 30 kHz	50 Hz - 30 kHz
Sensitivity (2.83 Vrms @ 1m, Free-Field)	86 dB	88 dB	88 dB
Sensitivity (2.83 Vrms @ 1m, Installed)	N/A	N/A	N/A
Nominal Impedance	8 Ohms	8 Ohms	8 Ohms
Minimum Impedance (20Hz to 20kHz)	4.0 Ohms @ 200 Hz	4.4 Ohms @ 38 Hz	4.3 Ohms @ 200 Hz
Maximum Peak SPL (AES75, Z-weighted)	112 dB	118 dB	119 dB
Continuous Power Handling (CTA 426-B)	100 W	150 W	120 W
Recommended Amplifier Power (RMS, Music Signal)	50 - 200 W into 4 Ohms 30 - 100 W into 8 Ohms	75 - 300 W into 4 Ohms 40 - 150 W into 8 Ohms	60 - 240 W into 4 Ohms 30 - 120 W into 8 Ohms
Bass Alignment	Ported - HiVe II	Ported - HiVe II	Sealed
Port Tuning Frequency	47 Hz	38 Hz	N/A
Crossover Frequency	LF/HF: 3.0 kHz	LF/MF: 470 Hz MF/HF: 2.6 kHz	LF/HF: 2.7 kHz
Drive Unit Complement	1 x 6" C-CAM bass mid driver 1 x 25mm C-CAM Gold Dome tweeter	2 x 6" C-CAM bass mid driver 1 x 25mm C-CAM Gold Dome tweeter	2 x 6" C-CAM bass mid driver 1 x 25mm C-CAM Gold Dome tweeter
External Dimensions with all accessories fitted (H x W x D)	335 x 185 x 328 mm (133/16 x 75/16 x 127/8 ")	1005 x 269 x 392 mm (399/16 x 105/8 x 157/16 ")	205 x 500 x 229 mm (81/16 x 1911/16 x 9 ")
Weight (Product, Each)	6.4 kg (14 lb 2 oz)	15.6 kg (34 lb 6 oz)	8.1 kg (17 lb 14 oz)

Available Finishes



White



Black



Walnut



Model	Bronze On-Wall 7G	Bronze AMS 7G
System Format	2-Way	2-Way
Frequency Response, In-Room (-6dB)	42 Hz - 30 kHz	83 Hz - 30 kHz
Sensitivity (2.83 Vrms @ 1m, Free-Field)	N/A	86 dB
Sensitivity (2.83 Vrms @ 1m, Installed)	88 dB	N/A
Nominal Impedance	8 Ohms	8 Ohms
Minimum Impedance (20Hz to 20kHz)	4.7 Ohms @ 17 kHz	3.7 Ohms @ 10 kHz
Maximum Peak SPL (AES75, Z-weighted)	112 dB	110 dB
Continuous Power Handling (CTA 426-B)	100 W	60 W
Recommended Amplifier Power (RMS, Music Signal)	50 - 200 W into 4 Ohms 30 - 100 W into 8 Ohms	30 - 120 W into 4 Ohms 10 - 60 W into 8 Ohms
Bass Alignment	Ported	Sealed
Port Tuning Frequency	47 Hz	N/A
Crossover Frequency	LF/HF: 3.0 kHz	LF/HF: 4.8 kHz
Drive Unit Complement	1 x 6" C-CAM bass mid driver 1 x 25mm C-CAM Gold Dome tweeter	1 x 4" C-CAM mid-range driver 1 x 25mm C-CAM Gold Dome tweeter with optimised waveguide
External Dimensions with all accessories fitted (H x W x D)	465 x 300 x 135 mm (185/16 x 113/16 x 55/16 ")	173 x 185 x 302 mm (613/16 x 75/16 x 117/8 ")
Weight (Product, Each)	7.0 kg (15 lb 7 oz)	3.1 kg (6 lb 13 oz)

Learn more about Bronze Series 7G at monitoraudio.com/bronze



