

Quicke



FRONT LOADERS

Q-Series



WORK SMARTER. NOT HARDER.

The world is changing, and so is farming. We are all for embracing that change. Everything Quicke does, down to the tiniest weld run, is with one thing in mind: Making the man in the machine more efficient – through superior quality and smart details built into our products. At Quicke we've had more than seven decades to perfect our flagship front loaders.



Quicke

6M





THE Q-SERIES Quicke Q-series shows how clever engineering makes all the difference. These front loaders come with outstanding visibility, optimized work angles, and smooth and easy implement changes. Back all that up with the intelligence of the Quicke Control System, and you just won't find a more high-functioning, usable front loader.

Quicke

Q-SERIES

STRENGTH AND DURABILITY



CAST AND FORGED PARTS The Q-series has forged rear arm parts and cast knee and front parts, giving it superior strength and durability.



ROCK SOLID The cast front part has a rock solid connection with the cross tube and the rest of the loader arm. The low placement of the cross tube contributes to superior visibility.



SUPER STRONG SUBFRAME Quicke's Delta subframe has oversized dimensions with precision machined contact surfaces. The wide U-support and large locking pin enables the loader to cope with difficult and heavy jobs for many years.



OPTIMAL DIVISION OF POWER The compact and profile-pressed bearing box is narrow close to the locking pin. This means that the locking pin can be made short and strong, while the wide U-support provides maximum stability with heavy loader jobs.



STRONG AND SMART WITH UNIQUE SHAPE The embossing adds strength to the arm and the chamfering improves visibility. Compare the shape with most tractor bonnets and you'll understand the idea.



THE FEATURES





Available specifically for **Serie Q**

EXACT CONTROL WITH CENTRAL DISTRIBUTION VALVE

Our centrally-placed valve has many advantages. It gives the loader exact control and optimal force for heavy-duty tasks. The location of the valve gives optimal vision for the driver and offers outstanding durability, as all the components are being protected by a durable polymer cover.



Available specifically for **Serie Q**

SAFE CONNECTIONS WITH LOCK & GO

Our well proven connect and disconnect system Lock & Go will save you time without having to compromise on safety. There are no loose parts and no tools are required. Unlatching is simple and it latches automatically when connecting the loader.



Available specifically for **Serie Q**

PIVOT PIN COVERS KEEPS THE GREASE INSIDE

Smart details makes the Q-series easy to keep clean. Every pivot pin has a cover that ensures the lubricating grease is contained when for instance pressure washing, thus keeps the loader and tractor clean.




**EXTREMELY STRONG
SUBFRAME AND BEARING BOX**

The heavy-duty dimensions of the subframe are the same as on our world-leading Q-series loaders.



IMPLEMENT ANGLE INDICATOR

The compact implement angle indicator is easily adjusted for different implements and offer settings for 3 different implements at the same time. Use it for easy implement angle reference relative to the ground.



PROTECTIVE HOSE COVER

Yet another reliability-ensuring detail – protecting the hydraulic hoses from unnecessary wear.



ALWAYS KEEPS THE GREASE IN PLACE

All of the pins have a rubber washer and a spring washer, which prevents axial play, secures the pin on both sides and keeps the grease in place.



**ATTRACTIVE, VISIBILITY-
ENHANCING DESIGN**

The curved design of the loader beam means that the Q-series matches today's modern tractors perfectly. The fact that it has the lowest knee placement on the market also means that it has superb side visibility.

FINDING THE RIGHT ANGLE

Q-level gives you optimal work angles for improved use of your implement. At operational height the loader crowds back more compared to previous models. It results in less spillage over the bucket tip.



VISIBILITY ABOVE ALL

There are no hoses or pipes that block visibility. With the Q-series, you are getting the best possible visibility, even in the dark because the low placement of the cross tube does not block the tractor lights.



CONVENIENT AUTOMATIC IMPLEMENT LOCKING Yet another smart safety function that ensures the implement is always correctly attached and that the locking pins are always in the locked position. Locking is automatic when crowding back the tool carrier.

UNIQUE CONCEPT FOR IMPLEMENT CHANGES

The fact that the tool carrier can be tilted forward almost 180° provides optimum control and free visibility of the implement hook from inside the cabin. Simple and beneficial for both safety and productivity.



THE OPTIONS

Drive smoother with SoftDrive

Our superior suspension system SofDrive reduces the strain on the loader and subframes, as well as on driver and tractor.





Q-LOCK – HYDRAULIC IMPLEMENT LOCKING

Our improved hydraulic implement locking ensures simple and comfortable changes of implements. Unlock, change implement and lock without getting out of your drivers seat.



LIVE 3

Live3 gives you the possibility to operate a hydraulic implement independently of the loaders movements. This means saved time and improved productivity. The function saves time when working with for instance animal feed and bale handling. The couplings are conveniently placed on the tool carrier. Combine it with Selecto Fix for effortless connection.



LOADERLIGHT

The compact, but powerful LED lights make implement change in darkness a breeze. Perfect also when stacking since the light follows the loader when lifting.





Selecto FIX™

Gain time and avoid trouble. With a simple action, you can easily attach the hydraulic implements without any problems, even when it is pressurised.



3RD FUNCTION

3rd function makes it possible to operate hydraulically powered implements like bale grabs, shear grabs, silage grabs etc. The couplings are conveniently placed on the tool carrier. Combine it with Selecto Fix for effortless connection.




WORLD-LEADING POWDER-COATING

Your Quicke loader has been powder coated with the most modern front loader paint in the world, giving it the best possible finish, rust protection and durability. Standard colour is Quicke black, but other colours are offered depending on the market.



THE QC MULTICOUPLER

The QC multicoupler is available in both standard and Live3 configuration. It offers unmatched ease of use and can be connected at working pressure.



4TH FUNCTION

This option provides hydraulic power for implements requiring 2 separate double-acting functions. 4th function requires 3rd function to be installed and the couplings are neatly fitted adjacent to the 3rd function couplings.

QUICKE CONTROL SYSTEM



M

QUICKE Q^M-COMMAND

With its robustness and focus on the essentials, Q^M-command offers a perfect balance between simplicity and functionality. The handle is available in different versions based on the options you have on the loader and there is no need for external switches for basic loader functions.

You can also combine it with the optional 3-section valve for independent 3rd service (Live3) with on/off operation.





QUICKE Q^E-COMMAND

True material handling efficiency, right under your thumb. Based on extensive field-testing by farmers globally, the new joystick ergonomics enables long working hours with perfect comfort and minimum effort.

The handgrip together with the digital valves offers unrivalled control precision. The optional 3-section valve offers smooth and independent control of implement hydraulics (Live3) with the joystick proportional rocker.



SMARTER FARMING

Q-companion is a true operator support system including connected features, enabling you to improve your efficiency.





Weighing Mode



Position Mode



Maintenance Mode



Load weighing

Q-companion weighs the load during the lift with fantastic accuracy and provides guidance that helps you lift correctly for best results. In automatic mode each lift is saved without any further input. In manual mode you are prompted to press a button to save your weighing data after each lift. Number of lifts and total weight is displayed and you can activate tare if needed. The target weight function comes in handy when loading wagons and the display lets you know when the target is reached. There's no need to invest in separate weighing equipment. Use your tractor/ loader combo for highly accurate multi-purpose weighing, always at hand!

Implement position monitor

Once you've calibrated your implements, there's no longer any need to go out and adjust the angle indicator rod on the loader, use Q-companion instead! The implement position is displayed in relation to the ground for both height and angle. This is particularly useful when visibility is at a premium. Pick up pallets easily, or spear bales with precision. Save time by doing it right the first time – every time. The load utilization gauge shows how much lift force is used (in %). The higher you go, the more caution is required.

Maintenance reminder

Two individual maintenance indicators will tell you when it's time to lubricate and time for hardware torque checks. The time between maintenance is based on actual loader usage, not tractor usage. Loader maintenance is often forgotten and can result in down-time and repairs. Follow the maintenance schedule for trouble-free operation for years to come!

App and Cloud Service

Q-companion includes a free of charge smartphone app for iOS and Android, just search for Q-companion in the app stores. Using Bluetooth technology, you can easily export weighing results from the Q-companion display to the cloud service and later access it on your computer or tablet. The app is in essence a material management system. Based on your input and loader work, you will be able to keep track of yield from individual fields, document your manure management etc. The app is designed to suit small farms as well as large farms with multiple employees/ sites. It can be used without Q-companion as well, as long as you have a loader built by us.

Load weighing, automation of movements and changing of implements and settings.

Q^E-COMMAND AND Q-COMPANION COMBIN

Q-companion is compatible with all loader control systems from Quicke, but when combining it with Q^E-command, that's really when 1 + 1 = 3.

Q-companion is a true operator support system including connected features, enabling you to improve your efficiency:

- **Q-motion:** 2 pre-saved implement positions for both height and angle. Perfect when picking up pallets or when handling bales. The loader stops automatically at the preset height with the pre-set tilt angle.
- **Q-range:** limiting the lift height, tilt angle or both. Avoid hitting the ground or the garage door with certain implements or combine it with Qmotion for even more automation.

- **Q-ends:** end position damping. Lift heavy loads to maximum height with safety and comfort, no more dangerous, jerky stops.
- **Rocker 3rd:** operate the 3rd service using the proportional rocker only. A fantastic comfort feature where you can set up the maximum speed yourself.

All functions are saved for each individual implement, set it and forget it! The intuitive menu system is conveniently operated by the joystick scroll wheel and back button. Keeps your hand on the joystick for best productivity.



NED

SoftDrive

Hydraulic
implement lock

General purpose
buttons (for tractor
functions)

Float and bucket
shake or program-
mable functions

Q-companion menu
navigation scroll wheel

Proportional rocker
for 3rd or 4th service,
or Live3

On/ Off and
transport mode



Load weighing, automation of
movements and changing
of implements and settings.



Q-companion includes a cloud service and smartphone app which makes documentation easier and helps you keep track of your loader work.

QUICKE HOSE KITS



Quicke also offer a wide range of solutions for drivers who want to use original tractor joysticks to operate the front loader. The front loader is then connected to the tractor hydraulic distributors using dedicated kits available for a large amount of tractor models.

Hose Kit

The loader is operated using two hydraulic distributors from the tractor. All components of hose kit are specifically made and dedicated for specific tractor model ensuring perfect fit on the tractor body.

Hose Kit Deluxe & Deluxe E

The loader is operated using two hydraulic distributors from the tractor. All components of our hose kits are specifically made and dedicated for specific tractor models ensuring perfect fit on the tractor body. The kit is delivered with a hydraulic diverter valve allowing to select either loader operation or other functions on the tractor for example front lift and front hydraulics couplings. Our state-of-the-art Deluxe E kit is delivered with electronic control touch panel; installed in the right cabin location, it allows the driver to activate extra features with optimal ergonomic.

Hose Kit Live3

The loader is operated using three hydraulic distributors from the tractor. Our Hose Kit Live3 allows the driver having a direct and independent 3rd service function on the loader. All components of our hose kits are designed and dedicated for specific tractor models ensuring perfect fit on the tractor body.



THE QUICKE SUPPORT

As a Quicke owner, you will not only have a world-leading front loader, but also world-leading level of reliability and service. Your purchase does not end our commitment to you – it's only the beginning.

Your Quicke has to perform at its best for a long time. We have built up a strong global organisation with a comprehensive service network, giving you easy and fast access to locations for service, spare parts and knowledgeable support - wherever you operate in the world. You can be sure that our service and support meets the same standard as our products – always aiming for 100 % customer satisfaction. To us, second best is not enough.

Absolute customer focus. In order to support you as a customer, we have created routines that ensure all the departments in our organisation are concentrated on your requirements.

Quick online help. You will have round-the-clock online access to spare part details, instructions and other important information.

Tight-knit spare part network. Spare parts are available from our subsidiaries as well as from larger Quicke representatives the world over.

Proximity. Our world-leading distribution network guarantees proximity to you, no matter where you are.

Global technical support. As a Quicke customer, you always have access to prompt technical support. All over the world, our representatives can provide knowledgeable and high-quality service.

Constant follow-up. Your viewpoints and suggestions for improvement are gathered together and centrally processed. This follow-up functions as a valuable basis for us when developing products. The development of Quicke is the result of close cooperation with users all over the world.

Find your local dealer at
www.quicke.com



Q THE FACTS

		Non Self-Levelling				Self-Levelling				
Q-series models		Q3	Q4	Q5	Q6	Q3 ^S	Q3 ^M	Q3 ^L	Q4 ^S	
TRACTOR DATA										
Tractor PTO HP range	HP	60-100	80-140	100-180	120-220	60-100	60-100	60-100	80-140	
Tractor weight (max)	kg	4000	5000	6000	7000	4000	4000	4000	5000	
Specified pressure	bar	195	195	195	195	195	195	195	195	
Specified flow	l/m	50	60	80	90	50	50	50	60	
LOADER PHYSICAL DATA										
Arm width (C-C)	mm	1040	1040	1040	1040	1040	1040	1040	1040	
Weight - front loader	kg	450	515	560	630	520	520	565	575	
LIFT HEIGHTS AND BUCKET ANGLES										
Maximum lift height - measured at pivot pin	m	3,55	3,79	4,06	4,25	3,55	3,55	3,80	3,79	
Maximum lift height - under level bucket	m	3,25	3,49	3,76	3,95	3,25	3,25	3,50	3,49	
Maximum dump angle	o	58	58	56	57	58	58	53	58	
Maximum rollback angle - Rescoop	o					58	58	57	58	
Maximum rollback angle at maximum height	o	134	135	136	133	48	48	50	58	
LOADER FORCES										
Lift capacity to maximum height -800mm (31.5 in) from pivot pin	kg	1270	1340	1320	1530	1630	1930	1760	1980	
Lift capacity, 1,5m (59 in) height -800mm (31.5 in) from pivot pin	kg	1680	1770	1890	2110	1670	1980	1800	2040	
Breakout force -800mm (31.5 in) from pivot pin	kg	1890	1990	2260	2510	1800	2130	2050	2160	
Rollback force at ground level -800mm (31.5 in) from pivot pin	kg	2640	3450	3450	3500	2640	3140	3540	3450	
LOADER POSITION										
Digging depth	mm	160	160	160	160	160	160	152	160	

All values can vary depending on machine and implement.
In addition to engine output, your choice of loader is determined by tractor weight and size.

	Q4 ^M	Q4 ^L	Q5 ^S	Q5 ^M	Q5 ^L	Q6 ^S	Q6 ^M	Q6 ^L	Q7 ^S	Q7 ^M	Q7 ^L	Q8 ^M	Q9 ^S
	80-140	80-140	100-180	100-180	100-180	120-220	120-220	120-220	140-280	140-280	140-280	>160	>160
	5000	5000	6000	6000	6000	7000	7000	7000	8000	8000	8000	9000	9000
	195	195	195	195	195	195	195	195	195	195	195	195	195
	60	60	80	80	80	90	90	90	100	100	100	100	100
	1040	1040	1040	1040	1040	1040	1040	1040	1040	1040/ 1200	1040	1200	1420
	575	580	620	620	625	720	720	750	760	760	820	830	869
	3,79	4,02	4,06	4,06	4,20	4,25	4,25	4,55	4,60	4,60	4,75	4,96	4,96
	3,49	3,72	3,76	3,76	3,90	3,95	3,95	4,25	4,30	4,30	4,45	4,66	4,65
	58	54	56	57	54	57	57	53	54	54	53	53	50
	58	60	58	58	58	58	58	59	58	58	57	58	56
	58	60	48	48	61	60	60	63	62	62	59	60	59
	2310	1840	1990	2310	1930	2120	2450	1920	2510	2830	2220	2910	2710
	2380	1880	2170	2510	2080	2400	2750	2140	3030	3410	2690	3230	3220
	2520	2070	2470	2850	2380	2750	3150	2490	3800	4260	3220	3750	3840
	3450	3470	3450	4000	3520	3500	4670	4100	4210	4880	4830	4630	4950
	160	180	160	160	170	160	160	200	160	160	160	170	190



Unigrip

Quicke



Quicke

Member of **JOST** World

JOST Umeå AB

Brännland 300, SE-901 37 Umeå, Sweden

Tel: +46 (0)90 17 05 00

marketing-agriculture@jost-world.com

www.quicke.com

Version June 2025

**CLIMATE
COMPENSATED
PAPER**



Some products in this brochure are fitted with extra equipment. Certain products may be optional extra equipment. Some of the products are not available on all markets. Product specifications and performance data stated can vary depending on the tractor model. Working with front loaders and accompanying implements is not without risk. Serious injuries to people and damage to materials can occur in the event of incorrectly carried out work. Show consideration to your surroundings, use common sense and comply with local laws and regulations. Always read carefully through the instruction manual supplied. Only use original spare parts and accessories. Quicke's product range is continually being developed. This brochure contains most of the products that are in production at the time the brochure is printed. We reserve the right at any time to alter specifications, prices and versions with no obligation on our part. ,™ Trademarks of JOST Umeå AB.