


ThermoPro

Live Like a Pro!

Wireless Bluetooth Indoor Thermometer



EN 01 ES..... 12

EN

According to the operating system of your smartphone, scan the following QR code to download and install.




iOS



Android

1. Features



2. Buttons

1. °F/°C Button: Touch to switch temp unit to °F/°C on LCD screen
2. Bluetooth Symbol Button: Press and hold for 2 seconds to enter pairing status
3. Sun Icon Button: Touch to turn on/off backlight
4. CLEAR Button: Touch and hold 2s to clear High and Low records in the past 24H


3. Comfort level

DRY	10%~30%
COMFORT	31%~60%
WET	61%~99%

4. Components



Bluetooth Hygrometer	1
AAA Battery	2
User Manual	1

5. Specifications


Wireless Bluetooth Range	260Ft/80m
Temperature Range	-4°F~140°F (-20°C~60°C)
Temperature Accuracy	±0.9°F (±0.5°C)
Humidity Range	10%~99%
Humidity Accuracy	±2%~3%RH
High and Low Records	24H
Comfort Display	DRY, COMFORT, WET.
Units	°F/°C Selector
Trend Arrow	

6. Installing batteries

Open the battery compartment of the sensor and insert 2 x AAA batteries with correct polarity.




Mount on the wall using the hanging hole or magnetize to a metal surface.



Stand upright using the tabletop stand.

7. Download the ThermoPro Sensor app

Download the ThermoPro Sensor APP from the App Store(iOS devices) or Google Play (Android devices).



8. Connect to bluetooth


1. The thermometer and hygrometer Bluetooth function are enabled by default. The Bluetooth icon flashes for 2 minutes when Bluetooth is disconnected. If the thermometer and hygrometer are not connected within 2 minutes, the bluetooth

icon will disappear, press and hold for 2 seconds to enter pairing status again.

2. Enable Bluetooth on your phone and get close to the Indoor Thermometer & Hygrometer. (Location Services/GPS should be turned on for Android users).
3. Open ThermoPro Sensor, tap the **"Add Device"** button in the top right corner and select **"TP359S (X)"**
4. Press the sensor name, the pairing should be successful now.


9. Using ThermoPro Sensor app

To enter the main settings menu, press the "⚙️" icon in the top left corner.




To adjust device settings, press the edit button in the top right corner of the device.

EN



Press Device Name to rename your device's name.

EN



Press Alarms to enable/disable temperature or humidity alarms. Further, set your desired MAX/MIN temperature or humidity range.

The screenshot shows a mobile application interface with a red header bar displaying the time 10:34 and status icons for signal strength, Wi-Fi, and battery. Below the header is a back arrow icon. The main content area is divided into two sections: 'Temperature Alert(°F)' and 'Humidity Alert(%)'. Each section has an 'ON' button in a grey circle and an 'OFF' button in a red circle. The Temperature Alert section features a red thermometer icon and two input fields: 'Max' with a value of 140.0 and 'Min' with a value of -4.0. The Humidity Alert section features a red water drop icon and two input fields: 'Max' with a value of 99 and 'Min' with a value of 10. Each input field has minus and plus buttons on either side.

10. Declaration of conformity

Hereby, the manufacturer declares that this product complies with the basic requirements and applicable regulations of the Radio Equipment Directive 2014/53/EU, the EMC Directive 2014/30/EU. The complete declaration of conformity can be found at:

<https://buythermopro.com/eu-declaration-of-conformity/>.

11. Disposal of the electronic appliance



This electronic appliance should not be disposed of with normal household waste. Dispose of the unit at an approved facility or at your local recycling center. Please observe the current rules and regulations when disposing of the appliance. Contact your local council if in doubt.

12. Limited one-year warranty

ThermoPro warrants this product to be free of defects in parts, materials and workmanship for a period of one year, from date of purchase.

Should any repairs or servicing under this warranty be required, contact Customer Service by phone or email for instructions on how to pack and ship the product to ThermoPro.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

13. Customer service

Call or Text: 1-877-515-7797 (USA & Canada only)

44-808-164-1683(UK)


Email: service@buythermopro.com

Hours: Weekdays 8:00AM-8:00PM EST(USA & Canada only)


1:00PM-12:00PM CET(UK)

ThermoPro
Live Like a Pro!

Higrómetro de Interior Inalámbrico Bluetooth



1. De un vistazo



2. Termohigrómetro para interiores

1. **°F/°C Botón:** toque para cambiar la unidad de temperatura a °F/°C en la pantalla LCD
2. **Bluetooth Botón:** presione y mantenga presionado durante 2 segundos para ingresar al estado de emparejamiento
3. **Light Botón:** toque para encender/apagar la luz de fondo
4. **CLEAR Botón:** mantenga presionado 2 segundos para borrar los registros altos y bajos en las últimas 24 horas

3. Nivel de comodidad

SECO	10%~30%
CONFORT	31%~60%
HÚMEDO	61%~99%

4. Lista de empaque



Higrómetro Bluetooth	1
Batería AAA	2
Manual de usuario	1

5. Especificaciones


Alcance inalámbrico de Bluetooth	260Ft/80m
Rango de Temperatura	-4°F~140°F (-20°C~60°C)
Precisión de Temperatura	±0.9°F (±0.5°C)
Rango de Humedad	10%~99%
Precisión de Humedad	±2%~3%RH
Récords Altos y Bajos	24H
Pantalla de Confort	DRY, COMFORT, WET.
Unidades	°F/°C Selector
Flecha de Tendencia	↖ → ↗

6. Instalación de su dispositivo

Coloque la batería (asegúrese de que la dirección del electrodo coincida).




Móntelo en la pared



Páralo en el escritorio

7. Descarga de la aplicación ThermoPro Sensor

Descargue la aplicación Thermopro Sensor de la App Store (dispositivos iOS) o Google Play (dispositivos Android).



8. Conexión a bluetooth

1. La función Bluetooth de termómetro e higrómetro está habilitada de forma predeterminada. El icono de Bluetooth parpadea durante 2 minutos cuando se desconecta

Bluetooth. Si el termómetro y el higrómetro no se conectan en 2 minutos, el icono de bluetooth desaparecerá, presione y mantenga presionado durante 2 segundos para ingresar nuevamente al estado de emparejamiento.


2. Encienda el Bluetooth en su teléfono y acérquese al Higrómetro (los servicios de ubicación/GPS deben estar activados para los usuarios de Android).
3. Abra el sensor ThermoPro, toque el botón **"Añadir dispositivo"** en la esquina superior derecha y seleccione "TP359S (X)"
4. Haga clic en el nombre del dispositivo, el emparejamiento debería ser exitoso ahora.


9. Uso del higrómetro bluetooth con Sensor ThermoPro

Para ingresar al menú de configuración principal, presione el icono de "⚙️" en la esquina superior izquierda.




Para ajustar la configuración del dispositivo, presione el botón editar en la esquina superior derecha del dispositivo.






Presione nombre del dispositivo para cambiar el nombre de su dispositivo.



Encienda/apague la alarma de temperatura o humedad como desee Establezca la temperatura MÁX/MIN deseada o el rango de humedad.



10. Declaración de conformidad

Por la presente, el fabricante declara que este producto cumple con los requisitos básicos y las regulaciones aplicables de la Directiva de equipos de radio 2014/53/EU, la Directiva EMC 2014/30/EU. La declaración de conformidad completa se puede encontrar en:

<https://buythermopro.com/eu-declaration-of-comformity/>.

11. Eliminación del aparato electrónico



Este aparato electrónico no debe desecharse con la basura doméstica normal. Deseche la unidad en una instalación aprobada o en su centro de reciclaje local. Observe las reglas y regulaciones vigentes al desechar el aparato. Póngase en contacto con su ayuntamiento en caso de duda.

12. Garantía limitada de un año

ThermoPro garantiza que este producto está libre de defectos en piezas, materiales y mano de obra por un período de un año a partir de la fecha de compra.

12. Garantía limitada de un año

ThermoPro garantiza que este producto está libre de defectos en piezas, materiales y mano de obra por un período de un año a partir de la fecha de compra.

Si se requiere alguna reparación o servicio bajo esta garantía, comuníquese con Servicio al Cliente por teléfono o correo electrónico para obtener instrucciones sobre cómo empacar y enviar el producto a ThermoPro.

Esta garantía le otorga derechos legales específicos y también puede tener otros derechos que varían de un estado a otro.

13. Servicio al cliente

Anillo o mensaje: 34-910-601-787

Correo electrónico: service@buythermopro.com

Horario: De lunes a viernes de 1:00PM-12:00PM CET