



ELECTRIC

GEYSER SPARES & ACCESSORIES

manual

EDITION 12

ELECTRIC GEYSER SPARES & ACCESSORIES MANUAL



ELECTRIC

GEYSER SPARES & ACCESSORIES

EDITION 12

Electrolux SA (Pty) Ltd has compiled this informative manual to assist the maintenance plumber and electrician in selecting the correct spares and accessories for Kwikot Electric Water Heaters backdating to 1994.

The manual also covers other types of water heating elements for urns and kettles and electrical spares for Kwikot's Industrial Bulk Hot Water Systems.

On page 25 of the manual, colour coding for the kW ratings are given and how to read the code system on the geyser serial plates, in order to determine the month and year of manufacture and warranty period. The contents page provides product warranty periods and pages 28 and 29 have illustrations of SANS 10254 Electric Water Heater recommended Horizontal and Vertical Installation Specifications.

This manual is updated as and when required.

DESCRIPTION	PAGE
Introduction, Contents and Product Warranties	Inside front cover
Electric Water Heater from 2020	1
Electric Water Heaters from 2019	2
Electric Water Heaters from 2017	3
Electric Water Heaters from 2014	4
Electric Water Heaters from 2010	5-6
Electric Water Heaters from 2004	7-8
Electric Water Heaters from 2001	9-10
Electric Water Heaters from 1999	11-12
Electric Water Heaters from 1996	13-14
Electric Water Heaters from 1995	15-18
Electric Water Heaters from 1994	19-20
Prisma Classique 10lt, 15lt & 30lt	21
Kwikot Prisma Supreme 10lt, 25lt & 50lt	22
Prisma Deluxe and Kwikot Prisma 10lt, 15lt & 30lt	23
Other Geyser Elements - Non SABS	24
Element kW & kPa Ratings and Kwikot Geyser Serial Plates	25
Kwikot Megaflö 450 litre Vertical and Horizontal	26
Kwikot Industrial Bulk Hot Water Systems and Spares Parts	27
SANS 10254 Recommended Horizontal Installation Specification	28
SANS 10254 Recommended Vertical Installation Specification	29
Electrolux SA (Pty) Ltd Branch Details	Outside back cover



PRODUCT WARRANTIES	YEAR/S
Kwikot Superline Dual	5
Kwikot 600 Dual	5
Kwikot 600i Dual	5
Kwikot Prisma Classique 10; 15; 30 litre	5
Kwikot Prisma Supreme 10; 25 & 50 litre	2
Kwikot Prisma/ Prisma Deluxe 10; 15; 30 litre	1
Kwikot Megaflö 450 litre	3
Kwikot Thermostat	1
Kwikot Isolator Switch	1
Kwikot Spiral Element	1
Kwikot Safety Valve	2
Kwikot Drain Cock	2

2020











superline

600

DUAL
electric water heater



With Renewable Energy Ready Connection
(150 litre) **600 kPa**

CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
	SOFT WATER ELEMENT
ELK138-KWI	3kW Kwikheat Spiral Element with Thermostat Pocket (150lt) 
	HARD WATER INCALLOY ELEMENT
ELI-148-KWI	3kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE3	Anode and Nut (150lt) 
FLP340	FROM APRIL 2020 Flange Plate for Spiral Element (for 150 litre) 
FLG340	FROM APRIL 2020 Flange Gasket for Spiral Element (for 150 litre) 

2019










superline

400

DUAL
electric water heaters



With Renewable Energy Ready Connection
(50 litre, 100 litre, 200 litre and 250 litre) **400 kPa**

CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser) 
	SOFT WATER ELEMENT
ELK136-KWI	2kw Kwikheat Spiral Element with Thermostat Pocket (50lt/100lt)
ELK140-KWI	4kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt)
	HARD WATER INCALLOY ELEMENT
ELI-146-KWI	2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50lt/100lt)
ELI-150-KWI	4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt)
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1	Anode and Nut (50lt)
AM2NE2	Anode and Nut (100lt)
AM2NE4	Anode and Nut (200lt)
AM2NE5	Anode and Nut (250lt)
	FROM APRIL 2019
FLP340	Flange Plate for Spiral Element (for 50 litre and 100 litre) 
	FROM FEBRUARY 2020
FLP-339	Flange Plate for Kwikheat Spiral Element (for 200 litre and 250 litre) 
	FROM APRIL 2019
FLG340	Flange Gasket for Spiral Element (for 50 litre and 100 litre) 
	FROM FEBRUARY 2020
FLG337	Flange Gasket for Spiral Element (for 200 litre and 250 litre) 

2017



superline

DUAL
electric water heaters



With Renewable Energy Ready Connection
(100 litre, 150 litre and 200 litre)
400 kPa

CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser)
KHN1.404CX	20mm Female Iron Temperature and Pressure Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser)
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kW Kwikheat Spiral Element with Thermostat Pocket (100lt) 3kW Kwikheat Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Spiral Element with Thermostat Pocket (200lt)
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (100lt) 3kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt)
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey)
AM2NE2 AM2NE3 AM2NE4	Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt)
FLP-339	Flange Plate for Spiral Element (for 100 litre, 150 litre and 200 litre)
FLG337	Flange Gasket for Kwikheat Spiral Element (for 100 litre, 150 litre and 200 litre)












Slimline (50 litre; 100 litre and 150 litre)
Standard (150 litre; 200 litre and 250 litre)
600 kPa



Slimline (50 litre; 100 litre and 150 litre)
Standard (150 litre; 200 litre and 250 litre)
600 kPa



CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-G-I-2010	600i Dual - Isolator Cover Plate (IPX4) 
ELK 136-KWI ELK 138-KWI ELK 140-KWI	SOFT WATER ELEMENT 2kW Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kW Kwikheat Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 

2010












Slimline (50 litre; 100 litre
and 150 litre)
600 kPa



Slimline (50 litre; 100 litre and 150 litre)
600 kPa












CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-G-I-2010	600i Dual - Isolator Cover Plate 
ELK136-KWI ELK138-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 
ELI-146-KWI ELI-148-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE2 AM2NE3 AM2NE4	Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 



megafloi

with Isolator
(100 litre; 150 litre and 200 litre)
600 kPa

CODE	DESCRIPTION OF SPARE PARTS
KH5.004	20mm Female Iron Draincock with Compression Inlet (GF) (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-W-I	Megafloi Dual - White Isolator Cover Plate 
ELK 136-KWI ELK 138-KWI ELK 140-KWI	SOFT WATER ELEMENT 2kW Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kW Kwikheat Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kW Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE2 AM2NE3 AM2NE4	Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 

2004












600i
DUAL

Standard (100 litre; 150 litre; 200 litre and 250 litre)
600 kPa












600i
DUAL

Slimline (50 litre; 100 litre and 150 litre)
600 kPa

CODE	DESCRIPTION OF SPARE PARTS
KH5.001	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-G-I	600i Dual - Grey Isolator Cover Plate 
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4 AM2NE5	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) Anode and Nut (250lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 


mega flo

Square
(100 litre; 150 litre and 200 litre)
600 kPa

CODE	DESCRIPTION OF SPARE PARTS
KH5.001	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-W-I	Mega floi Dual - White Isolator Cover Plate 
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE2 AM2NE3 AM2NE4	Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 

2001











600 DUAL

Standard (100 litre; 150 litre ;
200 litre and 250 litre)
600 kPa



600 DUAL

Slimline (50 litre; 100 litre; 150 litre)
600 kPa








CODE	DESCRIPTION OF SPARE PARTS
KH5.001	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.406CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Geyser) 
CVR-G-I	600i Dual - Grey Isolator Cover Plate 
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt)
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4 AM2NE5	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) Anode and Nut (250lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 



Square (100 litre; 150 litre and 200 litre)
400 kPa











Round (50 litre; 100 litre; 150 litre and 200 litre)
400 kPa

CODE	DESCRIPTION OF SPARE PARTS
KH5.001	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser) 
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt)
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 

1999



(50 litre; 100 litre; 150 litre ; 200 litre and 250 litre)
400 kPa







CODE	DESCRIPTION OF SPARE PARTS
KH5.001	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser) 
ELK136-KWI ELK138-KWI ELK140-KWI	SOFT WATER ELEMENT 2kw Kwikheat Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (150lt) 3kw Kwikheat Spiral Element with Thermostat Pocket (200lt/250lt) 
ELI-146-KWI ELI-148-KWI ELI-150-KWI	HARD WATER INCALLOY ELEMENT 2kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (50/100lt) 3kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (150lt) 4kw Kwikheat Incalloy Spiral Element with Thermostat Pocket (200lt/250lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4 AM2NE5	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) Anode and Nut (250lt) 
FLP-339	Flange Plate for Spiral Element 
FLG337	Flange Gasket for Kwikheat Spiral Element 



mega flo dual mark II

Square (100 litre; 150 litre and 200 litre)
400 kPa



CODE	DESCRIPTION OF SPARE PARTS
17300 (Old Code KH5.000)	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser) 
ELK126 ELK128 ELK130	SOFT WATER ELEMENT 2kW Kwikheat Element with Thermostat Pocket including Gasket (100lt) 3kW Kwikheat Element with Thermostat Pocket including Gasket (150lt) 4kW Kwikheat Element with Thermostat Pocket including Gasket (200lt) 
ELI-142 ELI-144	HARD WATER INCALLOY ELEMENT 2kW Kwikheat Element with Thermostat Pocket including Gasket (100lt) 3kW Kwikheat Element with Thermostat Pocket including Gasket (150lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE2 AM2NE3 AM2NE4	Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) 







CODE	DESCRIPTION OF SPARE PARTS
FL-320	2 kW Flange Plate and Anode - Discontinued, use Conversion Kit
FL-325	3 kW Flange Plate and Anode - Discontinued, use Conversion Kit
FLG335	Flange Gasket - Old Gaskets Still Available
ELG-58	Element Gasket
ERP-01	Small Element Gasket Plate - Discontinued, use New Conversion Kit
FL-328 ELK136 FLG335 NSI FL-330 ELK138 FLG335 NSI FL-332 ELK140 FLG-335 NSI	<p data-bbox="263 790 476 845">CONVERSION KITS 50lt/100lt</p> <p data-bbox="263 853 800 981">Flange Plate with Anode 2 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> <p data-bbox="263 1045 800 1204">150lt Flange Plate with Anode 3 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> <p data-bbox="263 1268 800 1428">200lt/250lt Flange Plate with Anode 4 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> 



econoflo dual mark II

(50 litre; 100 litre; 150 litre; 200 litre and 250 litre)
400 kPa



CODE	DESCRIPTION OF SPARE PARTS
17300 (Old Code KH5.000)	20mm Female Iron Draincock with Conex Inlet (Supplied with Geyser) 
KHN1.404CX	20mm Female Iron Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex Outlet (Supplied with Geyser) 
ELK-126 ELK-128 ELK-130	SOFT WATER ELEMENT 2kW Kwikheat Element with Thermostat Pocket including Gasket (50lt/100lt) 3kW Kwikheat Element with Thermostat Pocket including Gasket (150lt) 4kW Kwikheat Element with Thermostat Pocket including Gasket (200lt/250lt) 
ELI-142 ELI-144	HARD WATER INCALLOY ELEMENT 2kW Kwikheat Element with Thermostat Pocket including Gasket (100lt) 3kW Kwikheat Element with Thermostat Pocket including Gasket (150lt) 
TH-208	Kwiktherm Thermostat (20 Amp T105/TSE - Grey) 
AM2NE1 AM2NE2 AM2NE3 AM2NE4 AM2NE5	Anode and Nut (50lt) Anode and Nut (100lt) Anode and Nut (150lt) Anode and Nut (200lt) Anode and Nut (250lt) 

CODE	DESCRIPTION OF SPARE PARTS
FL-320	2 kW Flange Plate and Anode - Discontinued, use Conversion Kit
FL-325	3 kW Flange Plate and Anode - Discontinued, use Conversion Kit
FLG335	Flange Gasket - Old Gaskets Still Available
ELG-58	Element Gasket
ERP-01	Small Element Gasket Plate - Discontinued, use New Conversion Kit 
FL-328 ELK136 FLG335 NSI FL-330 ELK138 FLG335 NSI FL-332 ELK140 FLG-335 NSI	<p data-bbox="263 790 476 845">CONVERSION KITS 50lt/100lt</p> <p data-bbox="263 853 800 981">Flange Plate with Anode 2 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> <p data-bbox="263 1045 481 1204">150lt Flange Plate with Anode 3 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> <p data-bbox="263 1268 800 1428">200lt/250lt Flange Plate with Anode 4 kW Kwikheat Spiral Element with Thermostat Pocket Flange Gasket O Ring and Capscrew</p> 









econoflo
dual

Vertical and Horizontal Floor/Wall Installation
(50 litre; 100 litre; 150 litre; 200 litre and 250 litre)
400 kPa



CODE	DESCRIPTION OF SPARE PARTS
KH5.002	20mm Male Draincock (Supplied with Geyser) 
KH1.404CXM	20mm MI Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex outlet. (Supplied with Geyser) 
ELS-106 ELS-108 ELS-110	SOFT WATER ELEMENTS - L402 SABS 2kW Boss Element without Thermostat Pocket including Gasket (50lt/100lt) 3kW Boss Element without Thermostat Pocket including Gasket (150lt) 4kW Boss Element without Thermostat Pocket including Gasket (200lt/250lt) 
ELI-118 ELI-120 ELI-125	HARD WATER INCALLOY ELEMENTS - L404 SABS 2kW Boss Element without Thermostat Pocket (50lt/100lt) 3kW Boss Element without Thermostat Pocket (150lt) 4kW Boss Element without Thermostat Pocket (200lt/250lt) 
TH-200 TH-202	THERMOSTATS SABS VKF 7" Thermostat with Leads (Fuse) VKF 11" Thermostat with Leads (Fuse) 






CODE	DESCRIPTION OF SPARE PARTS
THP50 THP52	7" Copper Thermostat Pocket 11" Copper Thermostat Pocket 
TPG-56	Thermostat Pocket Gasket 
FL-300 FL-305 FL-310	Flange Plate and Anode (50lt/100lt) Flange Plate and Anode (150lt) Flange Plate and Anode (200lt/250lt) 
ELG54	Boss Element Gasket 
SP-02HD	Boss Heavy Duty Element Spanner (Box Spanner) 
FLG-335	Flange Gasket 









mega flo

Square Slimline
(100 litre; 150 litre; and 200 litre)
400 kPa








CODE	DESCRIPTION OF SPARE PARTS
KH5.002	20mm Male Draincock (Supplied with Geysler) 
KH1.404.CXM	20mm MI Temperature and Pressure Relief Safety Valve 400kPa with Compression Conex outlet. (Supplied with Geysler) 
ELS-106 ELS-108 ELS-110	SOFT WATER ELEMENTS - L402 SABS 2kW Boss Element without Thermostat Pocket including Gasket (50lt/100lt) 3kW Boss Element without Thermostat Pocket including Gasket (150lt) 4kW Boss Element without Thermostat Pocket including Gasket (200lt/250lt) 
ELI-118 ELI-120 ELI-125	HARD WATER INCALLOY ELEMENTS - L404 SABS 2kW Boss Element without Thermostat Pocket (50lt/100lt) 3kW Boss Element without Thermostat Pocket (150lt) 4kW Boss Element without Thermostat Pocket (200lt/250lt) 
TH-200 TH-202	THERMOSTATS SABS VKF 7" Thermostat with Leads (Fuse) VKF 11" Thermostat with Leads (Fuse) 

CODE	DESCRIPTION OF SPARE PARTS
THP50 THP52	7" Copper Thermostat Pocket 11" Copper Thermostat Pocket 
TPG-56	Thermostat Pocket Gasket 
FL-280 FL-285 FL-288	2kW Horizontal Flange and Anode (16 Hole) 3kW Horizontal Flange and Anode (16 Hole) 4kW Horizontal Flange and Anode (16 Hole) 
ELG54	Boss Element Gasket 
FLG-315	Flange Gasket (Fibre- 8 Hole) 
SP-02HD	Boss Heavy Duty Element Spanner (Box Spanner) 



prisma
Classique

Point of Use Electric Water Heaters
(10 litre Under Basin
10 litre; 15 litre and 30 litre Over Basin)











CODE	DESCRIPTION OF SPARE PARTS	
FPTH-15	Thermostat for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPEL-10	1,5kW Heating Element for 10 Lt Underbasin and 10lt Overbasin	
FPEL-15	1,5kW Heating Element for 15lt and 30 Lt Overbasin	
FPOH-01	Snap-Action Cut-out for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPSW-01	15Amp On/Off Switch for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	

CODE	DESCRIPTION OF SPARE PARTS	
FPSG-01	Single Gasket for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPTF-01	Tank Flange for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPA-10	Magnesium Anode for for 10 Lt Underbasin and 10lt Overbasin	
FPA-15	Magnesium Anode for 15lt and 30lt Overbasin	
FPTK-01	Temperature Adjustment Knob for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPPF-OB	Face Plate Assembly for for 10lt; 15lt and 30 Lt Overbasin	
FPPF-UB	Face Plate Assembly for 10 Lt Underbasin	
FPSV-01	Security Valve for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPSC-01	Circular Silica Gel Tarpaulin for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	
FPMB-01	Mounting Bracket for 10 Lt Underbasin and 10lt; 15lt and 30 Lt Overbasin	



prisma *Supreme*

**Point of Use Electric Water Storage Heaters
with Stainless Steel Inner Cylinders
(10 litre Under Basin; 10 litre Over Basin;
25 litre Over Basin and 50 litre Vertical)**

CODE	DESCRIPTION OF SPARE PARTS
PSV-40-406CNX	20mm Female Iron Nickel Plated Temperature and Pressure Relief Safety Valve 600kPa with Compression Conex Outlet (Supplied with Unit) 
PGA-100	Gasket for 10 litre and 25 litre 
PSG-100	Gasket Assembly for 50 litre 
PEL-130	1,5 kW Element with Thermostat Pocket for 10 litre Under Basin 
PEL-131	1,5 kW Element with Thermostat Pocket for 10 litre Over Basin 
PEL-132	1,5 kW Element with Thermostat Pocket for 25 litre Over Basin 
PEL-133	1,5 kW Element with Thermostat Pocket for 50 litre Vertical 
PTH-330	Thermostat (16 Amp) for 10 litre Under Basin 
PTH-332	Thermostat (16 Amp) for 10 litre and 25 litre Over Basin 
PTH-333	Thermostat (16 Amp) for 50 litre Vertical 



prisma
Deluxe

Point of Use Electric Water Heaters
(10 litre Under Basin
10 litre; 15 litre and 30 litre Over Basin)



CODE	DESCRIPTION OF SPARE PARTS
------	----------------------------

PEL 180	1,5kW Element with Gasket and Anode for 10, 15 and 30 litre
---------	---



PTH 180	Thermostat (10Amp) for 10, 15 and 30 litre
---------	--



prisma

Point of Use Electric Water Heaters
(10 litre Under Basin
10 litre; 15 litre and 30 litre Over Basin)



CODE	DESCRIPTION OF SPARE PARTS
------	----------------------------

PEL 145	1,2kW Element with Gasket for 10 & 15 litre
---------	---



PTH 215	Thermostat (10 Amp) for 10 & 15 litre
---------	---------------------------------------



PA 335	Anode for 10 litre and 15 litre
--------	---------------------------------



PEL 150	1,5kW Element with Gasket for 30 litre
---------	--



PTH 220	Thermostat (15 Amp) for 30 litre
---------	----------------------------------



PA 345	Anode for 30 litre
--------	--------------------




OTHER GESYER ELEMENTS - NON SABS

CODE	DESCRIPTION OF SPARE PARTS
ELC-118 ELC-120 ELC-122	<p>KWIKOT ELEMENTS WITH THERMOSTAT POCKET</p> 2kW Boss Element - Clip in Thermostat 3kW Boss Element - Clip in Thermostat 4kW Boss Element - Clip in Thermostat
ELS-112 ELS-114 ELS-116	<p>L525</p> 2kW Boss Element with Thermostat Pocket including Gasket 3kW Boss Element with Thermostat Pocket including Gasket 4kW Boss Element with Thermostat Pocket including Gasket
ELI-122 ELI-124 ELI-126	<p>L504</p> 2kW Incalloy Boss Element with Thermostat Pocket including Gasket 3kW Incalloy Boss Element with Thermostat Pocket including Gasket 4kW Incalloy Boss Element with Thermostat Pocket including Gasket
ELS-100 ELS-102 ELS-104	<p>L401</p> 2kW Boss Element without Thermostat Pocket including Gasket 3kW Boss Element without Thermostat Pocket including Gasket 4kW Boss Element without Thermostat Pocket including Gasket
ELS-115 ELS-111 ELS-113	<p>ALL ELEMENT WATTAGE AVAILABLE FROM:</p> 0.650kW Boss Element with Thermostat Pocket including Gasket 1kW Boss Element with Thermostat Pocket including Gasket 1.5kW Boss Element with Thermostat Pocket including Gasket


KWIKOT ELEMENTS WITH THERMOSTAT POCKET

2kW Boss Element - Clip in Thermostat
 3kW Boss Element - Clip in Thermostat
 4kW Boss Element - Clip in Thermostat



L525

2kW Boss Element with Thermostat Pocket including Gasket
 3kW Boss Element with Thermostat Pocket including Gasket
 4kW Boss Element with Thermostat Pocket including Gasket



L504

2kW Incalloy Boss Element with Thermostat Pocket including Gasket
 3kW Incalloy Boss Element with Thermostat Pocket including Gasket
 4kW Incalloy Boss Element with Thermostat Pocket including Gasket

L401

2kW Boss Element without Thermostat Pocket including Gasket
 3kW Boss Element without Thermostat Pocket including Gasket
 4kW Boss Element without Thermostat Pocket including Gasket



ALL ELEMENT WATTAGE AVAILABLE FROM:

0.650kW Boss Element with Thermostat Pocket including Gasket
 1kW Boss Element with Thermostat Pocket including Gasket
 1.5kW Boss Element with Thermostat Pocket including Gasket



DESCRIPTION OF ELEMENTS & KW RATING

					
0.650 kW Green available only with pocket	1 kW Brown *	1.500 kW Yellow *	2 kW Red *	3 kW Orange *	4 kW Blue *

* All elements from 1kW Std are available with Pocket and without Pocket

kPa PRESSURE RATINGS

YELLOW - Open vented up to 50kPa
BLUE - 100kPa

BLACK - 200kPa
BROWN - 300kPa


RED - 400kPa
GREEN - 600kPa

KWIKOT GEYSER SERIAL PLATES

KWIKOT 600 DUAL ELECTRIC WATER HEATERS

MONTH PRODUCT MANUFACTURED

January = 01
February = 02
March = 03
April = 04
May = 05
June = 06
July = 07
August = 08
September = 09
October = 10
November = 11
December = 12

ELECTROLUX SA(PTY)LTD <small>P.O BOX 389, BENONI,1500</small>					
MODEL NO: ESG -150					
VOLTS: 230~		150 L		3 kW	600kPa
STANDING LOSS/24HRS		STANDARD		DUAL	
2.16 kWh		X		X	
MOUNTING	HORIZONTAL	VERTICAL	WALL	FLOOR	
	X	X	X	X	
CODE: 06 - U - 5			SERIAL No.		
IPX4			U123456		

YEAR PRODUCT MANUFACTURED



2017 = V
2016 = U
2015 = T
2014 = S
2013 = R

WARRANTY PERIOD (Years)

KWIKOT SUPERLINE DUAL ELECTRIC WATER HEATERS

MONTH PRODUCT MANUFACTURED

January = 01
February = 02
March = 03
April = 04
May = 05
June = 06
July = 07
August = 08
September = 09
October = 10
November = 11
December = 12

		Electrolux SA (PTY) LTD.		<small>P.O. BOX 389, BENONI, 1500</small>		LOA	
MODEL		DSG -200 -5		125084			
VOLTS: 230V/50Hz		200 L		4 kW	400kPa		
STANDING LOSS/24HRS		STANDARD		DIRECT SOLAR		INDIRECT SOLAR	
1,512 kWh		X					
MOUNTING	HORIZONTAL	VERTICAL	WALL	FLOOR		ROOF	
	X	X	X	X		X	
SERIAL NO. Z123456							
CODE: 04 - Z - 5							
IPX 4							

YEAR PRODUCT MANUFACTURED

2021 = Z
2020 = Y
2019 = X
2018 = W
2017 = V

WARRANTY PERIOD (Years)



mega flo
450 litre

VERTICAL AND HORIZONTAL
400 kPa

CODE

DESCRIPTION OF SPARE PARTS

KH1.404CXM

20mm MI Temperature and Pressure Relief Safety Valve
400kPa with Compression Conex Outlet. (Supplied with Geysers)



7751

Contactor Switch with BF20 Contactor
(for switch)



ELS-108
ELS-110

L402- SABS
3kW Boss Element without Thermostat Pocket (SABS) including Gasket
4kW Boss Element without Thermostat Pocket (SABS) including Gasket
Vertical Unit 6 Elements of 3kW and Horizontal Unit 3 Elements of 4kW



TH-201
TH-200

VKF7" Thermostat without Leads
VKF7" Thermostat with Leads



THP-50

7" Thermostat Pocket



TPG-56


Thermostat Pocket Gasket



INDUSTRIAL


Bulk Water Heating Storage Tanks
500 litres to 30 000 litres
400kPa

CODE	DESCRIPTION OF SPARE PARTS
INDE-6-50 INDE-9-50 INDE-12-50 INDE-18-50	3 X 2kW Incalloy Immersion Elements 2" Boss (3 phase)=6kW 3 X 3kW Incalloy Immersion Elements 2" Boss (3 phase)=9kW 3 X 4kW Incalloy Immersion Elements 2" Boss (3 phase)=12kW 3 X 6kW Incalloy Immersion Elements 2" Boss (3 phase)=18kW
TH-202 TH-203	VKF 11" Thermostat with Leads (Fuse) VKF 11" Thermostat without Leads
INDE-DT	Dual Thermostat (for KS550 to KS2000 Storage Tanks)
THP-52	11" Thermostat Pocket (for KS100 to KS500 Storage Tanks)
TPG-56	Thermostat Pocket Gasket
KHN1.404CX KHN1.406CX KH1.403IND KH1.404IND KH1.406IND	22mm FI Temperature and Pressure Relief Valve, 400kPa 22mm FI Temperature and Pressure Relief Valve, 600kPa 25mm FI Temperature and Pressure Relief Valve, 300kPa 25mm FI Temperature and Pressure Relief Valve, 400kPa 25mm FI Temperature and Pressure Relief Valve, 600kPa



SANS 10254

ELECTRIC WATER HEATER HORIZONTAL INSTALLATION SPECIFICATION



Product Description

1	Anode	14	Distribution Board
2	Kwikot Thermostat TH208, 20Amp	15	Earth Leakage - 60 Amp
3	Kwikot Spiral Element	16	Geyser Circuit Breaker
4	Flange Gasket (100mm)	17	Cable Size, Minimum of 2,5mm ²
5	Flange (100mm)	18	Isolating Switch within 1m from Electrical Connection on Geyser
6	Earth Stud	19	Copper Pipe
7	Thermofused Porcelain Enamel Lining	20	Overflow Pipe to Exterior of Building, 20mm Metallic
8	Urethane Insulation	21	Hot Water Outlet
9	Vacuum Breaker	22	Kwikot Superline Dual Geyser (400kPa or 600kPa)
10	Kwikot Safety Valve (400kPa or 600kPa)	23	Cold Water Inlet
11	Kwikot Draincock	24	Geyser Tray Overflow Pipe, 50mm
12	Pressure Control Valve (400kPa or 600kPa)	25	Earth Bonding Strap between Hot and Cold Water
13	Geyser Tray	26	Renewable Energy Ready Connection (on back end dome)


SANS 10254

ELECTRIC WATER HEATER VERTICAL INSTALLATION SPECIFICATION

KWIKOT

Product Description

- | | |
|----|--|
| 1 | Anode |
| 2 | Kwikot Thermostat TH208, 20Amp |
| 3 | Kwikot Spiral Element |
| 4 | Flange Gasket (100mm) |
| 5 | Flange (100mm) |
| 6 | Earth Stud |
| 7 | Thermofused Porcelain Enamel Lining |
| 8 | Urethane Insulation |
| 9 | Vacuum Breaker |
| 10 | Kwikot Safety Valve (400kPa or 600kPa) |
| 11 | Kwikot Draincock |
| 12 | Pressure Control Valve (400kPa or 600kPa) |
| 13 | Geysers Tray |
| 14 | Isolating Switch within 1m from Electrical Connection on Geysers |
| 15 | Copper Pipe |
| 16 | Overflow Pipe to Exterior of Building, 20mm Metallic |
| 17 | Hot Water Outlet |
| 18 | Kwikot Superline Dual Geysers (400kPa or 600kPa) |
| 19 | Cold Water Inlet |
| 20 | Geysers Tray Overflow Pipe, 50mm |
| 21 | Earth Bonding Strap between Hot and Cold Water |
| 22 | Renewable Energy Ready Connection (on back end dome) |
| 23 | Cable size, Minimum of 2,5mm ² |





EDITION 12

Electrolux SA (Pty) Ltd

INLAND DIVISION

PO Box 1016,
Benoni, 1500
Tel: (011) 897 4600

EASTERN CAPE DIVISION

PO Box 29142, Sunridge Park,
Port Elizabeth, 6008
Tel: (041) 399 4000

WESTERN CAPE DIVISION

PO Box 32072, Ottery,
Cape Town, 7808
Tel: (021) 690 27001

KWAZULU-NATAL DIVISION

PO Box 47366, Greyville,
Durban, 4023
Tel: (031) 574 8700

SUPPORT

Spares@electrolux.com
Technical.Info@electrolux.com



www.kwikot.com