



powered by **Haier**



Domestic Pressure Control Valves

Trusted by Industry Leaders

Add warmth to life.

Kwikot Domestic Pressure Control Valves

Features


- **Consistent Water Pressure**
Designed to regulate water pressure for smooth and reliable system performance.
- **Protects Plumbing Systems**
Helps reduce strain on pipes, fittings and appliances caused by excessive water pressure.
- **Durable Construction**
Manufactured from high-quality materials for long-lasting reliability and performance.
- **Improved System Efficiency**
Maintains balanced pressure levels for more efficient water usage and operation.
- **Reliable Flow Control**
Engineered for stable and dependable water flow across residential and commercial applications.
- **Suitable for Multiple Applications**
Ideal for domestic, commercial and light industrial water systems.



**Consistent pressure.
Reliable protection.**



Reliable pressure
control for long-term
system performance.




Pressure Control Valve

Mono Valve - KHN3-104



Features

- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation, with 15mm and 22mm copper to copper connections.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.





Product Specifications

Mono Valve - KHN3-104

Mono Valves comply with SANS 198 specification (Control and functional valves)



Product Code	KHN3-104	KHN3-106	KHN3-114	KHN3-116
Connection Size	15mm	15mm	22mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression	Copper to copper compression	Copper to copper compression
Pressure Rating	400kPa	600kPa	400kPa	600kPa

Replacement Expansion Relief Valves, cartridges and tools

Product Code	Expansion Relief Valves
KH2-254T	15mm Expansion Relief (Grivory) 400kPa
KH2-256T	15mm Expansion Relief (Grivory) 600kPa
KH2-152C	Cartridge for Expansion Relief Valves 200kPa
KH2-154C	Cartridge for Expansion Relief Valves 400kPa
KH2-156C	Cartridge for Expansion Relief Valves 600kPa

Product Code	Pressure Control Valve Cartridges
KHN3-102C	Cartridge for Pressure Control Valves 200kPa
KHN3-104C	Cartridge for Pressure Control Valves 400kPa
KHN3-106C	Cartridge for Pressure Control Valves 600kPa

Product Code	Tools
KH2-000	Spanner (To remove and replace cartridges)

Pressure Control Valve

Multi Valve - KHN3-204



Features

- The Kwikot Water Care Multi Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The body incorporates an isolating valve with a non-corrosive Teflon ball allowing the water supply to be shut off at the valve.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation, with 15mm and 22mm copper to copper connections and 20mm male iron connections.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.

Flushing mechanism


Integral isolator

Isolator Teflon ball

Noise reduction pins
Stainless steel strainer

DZR Brass body

Pressure control cartridge





Product Specifications

Multi Valve - KHN3-204

Multi Valves comply with SANS 198 specification ((Control and functional valves).



Product Code	KHN3-204	KHN3-206	KHN3-214
Connection Size	15mm	15mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression	Copper to copper compression
Pressure Rating	400kPa	600kPa	400kPa



Product Code	KHN3-216	KHN3-224	KHN3-226
Connection Size	22mm	20mm	20mm
Connection Type	Copper to copper compression	Male iron	Male iron
Pressure Rating	600kPa	400kPa	600kPa

Product Installation

Mono and Multi Valves should be installed on the outside of the dwelling on the incoming cold water supply from the water main. The valves can be installed

in a horizontal or vertical position. The forged arrow (->) on the brass body indicates the direction of the water flow.

Product Warranty

Mono and Multi Valves have a two year warranty from date of purchase (proof of purchase invoice to be supplied), against manufacturing defects and such

goods will be replaced or repaired at Kwikot's discretion, free of charge.

House Water Station

Pressure Control Valve with Y-strainer and Lever Ball Valve - KHN3-314



Features

- A House Water Station (HWS) comprising of a Kwikot Water Care **Mono Pressure Control Valve**, Kwikot Water Care **Y-Strainer** and Kwikot Water Care **Lever Ball Valve**. Assembled in an aesthetically appealing polyethylene box.
- Mounted to the outside wall with 22mm Male Threaded Connections on the inlet and outlet, this HWS offers easy access when having to shut off the water flow into the house, by closing the Lever Ball Valve.
- Maintenance to any component in the HWS can easily be carried out.
- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.



Product Specification

Kwikot Water Care Mono Valves comply with SANS 198 specification (Control and functional valves).

Product Code	Connection Size and Type	Pressure Rating
KHN3.134	22mm Male Threaded Connections Inlet/Outlet	400kPa

Product Warranty

Two years from date of purchase on the PVC and one year on the Y-strainer and Lever Ball Valve (proof of purchase invoice to be supplied) against manufacturing

defects, such goods will be replaced or repaired at Kwikot's discretion, free of charge.




House Water Station

Pressure Control Valve with Y-strainer and Lever Ball Valve - KHN3-136

Features

- A House Water Station (HWS) comprising of a Kwikot Water Care **Mono Pressure Control Valve**, Kwikot Water Care **Y-Strainer** and Kwikot Water Care **Lever Ball Valve**. Assembled in an aesthetically appealing polyethylene box.
- Mounted to the outside wall with 22mm Male Threaded Connections on the inlet and outlet, this HWS offers easy access when having to shut off the water flow into the house, by closing the Lever Ball valve.
- Maintenance to any component in the HWS can easily be carried out.
- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.



Product Specification

Kwikot Water Care Mono Valves comply with SANS 198 specification (Control and functional valves).

Product Code	Connection Size and Type	Pressure Rating
KHN3.136	22mm Male Threaded Connections Inlet/Outlet	600kPa

Product Warranty

Two years from date of purchase on the PVC and one year on the Y-strainer and Lever Ball Valve (proof of purchase invoice to be supplied) against manufacturing

defects, such goods will be replaced or repaired at Kwikot's discretion, free of charge.


Pressure Control Valve

Multi Grivory Valve - KHN3-414



Features

- Includes integral Isolating and Expansion Relief Valves
- Contributes to efficient water supply
- Flushable mechanism
- Rotatable expansion relief
- Replacement cartridge



Product Specification

Multi Grivory Valves comply with SANS 198 Specification (Control and functional valves).

Product Code	KHN3-406	KHN3-416	KHN3-404	KHN3-414
Connection Size	15mm	22mm	15mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression	Copper to copper compression	Copper to copper compression
Pressure Rating	600kPa	600kPa	400kPa	400kPa

Product Specifications

Multi Grivory Valve - KHN3-414

Product Installation

Multi Grivory Valves should be installed on the outside of the dwelling on the incoming cold water supply from the water main. The valves can be installed in a horizontal or vertical position. The forged arrow (>) on the brass body indicates the direction of the water flow.

Product Warranty

Multi Grivory Valves have a two year warranty from date of purchase (proof of purchase invoice to be supplied), against manufacturing defects and such goods will be replaced or repaired at Kwikot's discretion, free of charge.

From a Brand South Africans Trust.





Scan and Register Your Kwikot Product

(Please Register Online)

Register your Kwikot product today by scanning the QR code on your water heater or by visiting **www.kwikot.com** to complete the online registration form.

This simple process allows our service team to quickly access your product information, ensuring faster warranty validation and more efficient handling of service calls.

By registering your product, you help us provide a seamless and convenient support experience.



Scan Here
To Register



KWIKOT

powered by **Haier**

Need Assistance?

Sales and Payment Queries:
za_salesorders@kwikot.com | **011 897 4600**

Admin, Marketing and Product Queries:
kwikot.marketinginfo@kwikot.com

Technical Queries:
technical.info@kwikot.com

Gauteng
3 Aberdeen Road
Industrial Sites
Benoni

KwaZulu-Natal
814 Peter Close
Springfield Park
Durban

Western Cape
15 Purdey Road
Sheffield Business Park
Philippi, Cape Town

Eastern Cape
39-41 Leadwood
Crescent
Fairview
Port Elizabeth

www.kwikot.com