



KWIKOT

powered by **Haier**

Domestic Pressure Control Valves

Trusted by Industry Leaders

Everyday




Pressure Control Valve

Mono Valve

KHN3-104

Features

- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation, with 15mm and 22mm copper to copper connections.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.



Product Specifications

Mono Valves comply with SANS 198 specification (Control and functional valves)



Product Code	KHN3-104	KHN3-106	KHN3-114	KHN3-116
Connection Size	15mm	15mm	22mm	22mm
Connection Type	Copper to copper compression			
Pressure Rating	400kPa	600kPa	400kPa	600kPa

Replacement Expansion Relief Valves, cartridges and tools

Product Code	Expansion Relief Valves
KH2-254T	15mm Expansion Relief (Grivory) 400kPa
KH2-256T	15mm Expansion Relief (Grivory) 600kPa
KH2-152C	Cartridge for Expansion Relief Valves 200kPa
KH2-154C	Cartridge for Expansion Relief Valves 400kPa
KH2-156C	Cartridge for Expansion Relief Valves 600kPa

Product Code	Pressure Control Valve Cartridges
KHN3-102C	Cartridge for Pressure Control Valves 200kPa
KHN3-104C	Cartridge for Pressure Control Valves 400kPa
KHN3-106C	Cartridge for Pressure Control Valves 600kPa
Product Code	Tools
KH2-000	Spanner (To remove and replace cartridges)


Pressure Control Valve

Multi Valve

KHN3-204

Features

- The Kwikot Water Care Multi Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The body incorporates an isolating valve with a non-corrosive Teflon ball allowing the water supply to be shut off at the valve.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation, with 15mm and 22mm copper to copper connections and 20mm male iron connections.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.



Product Code	KHN3-204	KHN3-206	KHN3-214
Connection Size	15mm	15mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression	Copper to copper compression
Pressure Rating	400kPa	600kPa	400kPa



Product Code	KHN3-216	KHN3-224	KHN3-226
Connection Size	22mm	20mm	20mm
Connection Type	Copper to copper compression	Male iron	Male iron
Pressure Rating	600kPa	400kPa	600kPa

Product Specifications

Multi Valves comply with SANS 198 specification ((Control and functional valves).

Product Installation

Mono and Multi Valves should be installed on the outside of the dwelling on the incoming cold water supply from the water main. The valves can be installed in a horizontal or vertical position. The forged arrow (>) on the brass body indicates the direction of the water flow.

Product Warranty

Mono and Multi Valves have a two year warranty from date of purchase (proof of purchase invoice to be supplied), against manufacturing defects and such goods will be replaced or repaired at Kwikot's discretion, free of charge.

House Water Station

Pressure Control Valve with Y-strainer and Lever Ball Valve

KHN3-134



Features

- A House Water Station (HWS) comprising of a Kwikot Water Care **Mono Pressure Control Valve**, Kwikot Water Care **Y-Strainer** and Kwikot Water Care **Lever Ball Valve**. Assembled in an aesthetically appealing polyethylene box.
- Mounted to the outside wall with 22mm Male Threaded Connections on the inlet and outlet, this HWS offers easy access when having to shut off the water flow into the house, by closing the Lever Ball Valve.
- Maintenance to any component in the HWS can easily be carried out.
- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.

Product Specifications

Kwikot Water Care Mono Valves comply with SANS 198 specification (Control and functional valves)

Product Code	Connection Size and Type	Pressure Rating
KHN3.134	22mm Male Threaded Connections Inlet/Outlet	400kPa

Product Warranty

Two years from date of purchase on the PVC and one year on the Y-strainer and Lever Ball Valve (proof of purchase invoice to be supplied) against manufacturing defects, such goods will be replaced or repaired at Kwikot's discretion, free of charge.

House Water Station

Pressure Control Valve with Y-strainer and Lever Ball Valve

KHN3-136



Features

- A House Water Station (HWS) comprising of a Kwikot Water Care **Mono Pressure Control Valve**, Kwikot Water Care **Y-Strainer** and Kwikot Water Care **Lever Ball Valve**. Assembled in an aesthetically appealing polyethylene box.
- Mounted to the outside wall with 22mm Male Threaded Connections on the inlet and outlet, this HWS offers easy access when having to shut off the water flow into the house, by closing the Lever Ball valve.
- Maintenance to any component in the HWS can easily be carried out.
- The Kwikot Water Care Mono Valve body is manufactured from high grade forged DZR Brass with stainless steel relief seat.
- The fully serviceable cartridge with stainless steel strainer and spindle makes this valve suitable for domestic plumbing applications with a long service lifespan.
- The compact design with integral Expansion Relief Valve lends itself to ease of installation.
- The Expansion Relief Valve has a rotating flushing mechanism, which can be rotated through 360° and flushes dirt and sediment from the valve.

Product Specifications

Kwikot Water Care Mono Valves comply with SANS 198 specification (Control and functional valves).

Product Code	Connection Size and Type	Pressure Rating
KHN3.136	22mm Male Threaded Connections Inlet/Outlet	600kPa

Product Warranty

Two years from date of purchase on the PVC and one year on the Y-strainer and Lever Ball Valve (proof of purchase invoice to be supplied) against manufacturing defects, such goods will be replaced or repaired at Kwikot's discretion, free of charge.


Pressure Control Valve

Multi Grivory Valve

KHN3-414

Features

- Includes integral Isolating and Expansion Relief Valves
- Contributes to efficient water supply
- Flushable mechanism
- Rotatable expansion relief
- Replacement cartridge



Product Specifications

Multi Grivory Valves comply with SANS 198 Specification (Control and functional valves)

Product Code	KHN3-404	KHN3-414
Connection Size	15mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression
Pressure Rating	400kPa	400kPa

Product Code	KHN3-406	KHN3-416
Connection Size	15mm	22mm
Connection Type	Copper to copper compression	Copper to copper compression
Pressure Rating	600kPa	600kPa

Product Installation

Multi Grivory Valves should be installed on the outside of the dwelling on the incoming cold water supply from the water main. The valves can be installed in a horizontal or vertical position. The forged arrow (>) on the brass body indicates the direction of the water flow.

Product Warranty

Multi Grivory Valves have a two year warranty from date of purchase (proof of purchase invoice to be supplied), against manufacturing defects and such goods will be replaced or repaired at Kwikot's discretion, free of charge.



Register Your Kwikot Product Today!

Why Register?

Ensure peace of mind by registering your Kwikot product and enjoy these exclusive benefits:

- **Full Warranty Activation** – Get complete coverage for your product.
- **Stay Informed** – Receive important safety and product updates.
- **Proof of Ownership** – Simplify future service or support requests.

Who Can Register?

- Homeowners who have purchased and installed a Kwikot product
- Licensed plumbers or installers registering on behalf of clients

What You'll Need to Register:

- Installation date
- Product serial number (found on your product)
- Proof of purchase or installation (optional upload)
- Contact details (name, email, phone number)



Scan here
to register



KWIKOT

powered by **Haier**

Need Assistance?

Sales and Payment Queries:
za_salesorders@kwikot.com | **011 897 4600**

Admin, Marketing and Product Queries:
kwikot.marketinginfo@kwikot.com

Technical Queries:
technical.info@kwikot.com

Gauteng
3 Aberdeen Road
Industrial Sites
Benoni

Western Cape
15 Purdey Road
Sheffield Business Park
Phillippi, Cape Town

KwaZulu-Natal
814 Peter Close
Springfield Park
Durban

Eastern Cape
39-41 Leadwood
Crescent Fairview
Port Elizabeth

www.kwikot.com